ch07/4

Inaugural Disertation,

Grastrilis,

Submitted to the

Medical suculty

of the

University of perrosylvania,

of retorshing tro-

a some part of the stomach, the degree will generally be proportionate to the course of the scaeses: the inflammation sometimes abbeau in streaks, stellated spots a three light matter timing montrane, there is to use the happy phrase of Boston physicals (a blush of red) a puffusion, there is also an effusion of coagulable lymph spread one the intunal sculable lymph spread one the intunal sculable of the stomach, in greater, in greater, in the production of the bloodweeps; when and distinsted state of the bloodweeps; when also been discovered.

The principal and mat conspicious symptoms of the comblaints are to settinet and well made east, that is would probably not be combined with any other deceases but perhaps case may occur, in which it may be necessary for the practitions to use much discussionation, that been conformated with colic & boritonities to

colic by the pair in the lower part of the abdomen, also by the pulse in colie, being much more full and Strong; with the other symptoms above mentioned, the situation or position in which you will find the patient in bed & the feat of the pain, will distinguish it pour perstanitie; a patient with this com= plaint will generally be found on his back with his legs and thighs drawn up, and hent at right angles with his trunk, to as to relax the muscles of the abdomen, and to afford him temporary relief, and it may


Treatment-

the great indication as before meatined in the treatment of gasheld, is to reduce the inflammatory action; and the most immula

is by venegetion; a just estimate of the eccived, if we reflect, that this disease is an acute inflammation of an organ, the most irritable and delicate in its nature, and, unless we are popessed of some such prompt and efficient means of arresting its progress, the patient must inevitably, and to its violence; to obtain the fullest, and most beneficial results from this remedy. attack the complaint with pearly intre = bidity, taking away thuty or forty ounces of blood, and repeating in a very thort time, if the indications still continues In a majority of cases which require venusetion its apparent effect is to reduce febrile action;

severe to increase, and give natural action to the sulse, and thus the disease is deserlaped. From this incumotance, we may judge of the advantage which we have dewech from its employment; small, and wheated bleedings have been recommended but to this I will morely observe, that we had better permit nature to release here shell there he too sparing of our art in her solutioner.

Tobical bleeding constitute the next must important remedy in the treatment of the disease to be followed by a large blists over the opigathic region; the unclinic effects of this tess are no when better displayed than in fastities, but in the application of their remedy there is a cultion to be observed which is emphalacically caprefied by doctor phapman; cally caprefied by doctor phapman; much to recent to recent to these in diseases of



to a siene and a star the second of the second miles winds - it was not He - S - J. Phil - Hyse Knowledge IN IN A STATE OF THE PARTY OF T a termination of - 1 15-1 - 124a2 in - ge is -cen -s & s s ... the water of the the soulland a the contract of the contract the same of the second of the second Viels itent - - 17 , we 7 .. 4026 1 - 1 the is a very winder with in to concernate of the constitution to estastrongly of the Homeston the see by sections, to well to that I went got is to a sistem of any which is except the set or billetino of there in a to. at indian a many a mit.



satur. 's. 1 1 sect 2 to roses were wett. Lot I rest it a some morning " costa . at the land in it is a for I d' 1 1 . 10 ' en of. which is nonly on in. would to with the to thet the re st set to ente set les withy the in large parties in some the " Hest wie io. I en as castor sil. o ... il. molapeo tepid with hi or Hall a in a thing thing on is so we . I the co. in soit Hold be adder sho he the " in the there went to the to the ate c'ater merd of banking it with ne 2 to tile; and if it is a with it to roll o ogs. ada go bit . to so the itye of in within " 2 128

in the second or and the



. 16 200 14 9 2 12 11 11 11 12 21 11 £ , to - 4 - v. . - := : the tier was a cinta. to the the second CALLES S. C. S. C. C. C. 1 . 1.1. to recess "1.7" as a. to be 5 it Think hich is surly by a seen the le a list a 1. = 11 - die in les et de come V. V. H. V. Fr. W. 4 . L. Man " we started the will be a single un white the state of the second . ingli of a salution to see a case I to the the in win a valeto it has inichi the distriction of starios in . de ales - banks. in the last to a



I the explicit a "d - which we . I - 2 th & rate to 1, ote mand in to the -- is " it is ince wester was the is all it -. the points of the potine employed at all I do of my the a tilly arterlated to such the same while there the very our were en in the treatment of this sie we me my timited and embly it is I was the in to mar y the me with and depletay measures on the street - o till proce in l'estant. But on the cottany I in the con meens to me " " with an or st e vice to a resis a a rest to rapid career our e'm" a rejecto d'esse, el se tto se it the i sect of leaves to I preced to weren this to =





e te l'alla de l : 1 3. 12. - Le . tes. 12 5 ... - 12 in the state of the state Elicite - Chilip of his . E . . of a fac. May and the same will a hory some I



. bie symptoms, at others the disease is very insis deaus in its attack, there being no symptoms denoting the existence of the disease. Soctor Chapman relates an instance, in which it attacked the great toe, assuming the appear = cance of regular podagra; a pasmodie contraction of the muscles of the arm, and an inflammation of the groin or pudendum have been mentioned by Doctor physical as other delusive symptoms. The various terminations of other inflammations, have seen ascribed to this disease; owing to the acute sensibility, and the unlimited con: enesion of the stomach with the rest of the Lystene, it is natural to peppose, that any thing calculated to excite this excipsive initability, will not allow time for suppuration; but will, until freedily rema wide, act more immediately on the Lystem. and occasion death

prognosis

The first and great indication in the treat ment of this disease, is to effect a resolution of the inflammation as soon as popules; and a tendency to this, is Known by the remain a hables mildnep of the symptoms, and their yielding to the proper remedies; and should this favourable termination be produced, we have some critical evacuation, either by perspiration, diarrhose, or wine, the pular becomes more toft and full, and diminishes in prequency, the pain gradually ceases, and the disease is Hopped thouse, but on the contrary, if an uncommon severity of the symptoms excipt, and there is no evident disposition to resolution after the application of our most efficient remedies, we must be prepared to meet the worst; (samunations post mortem. generally exhibit some appear ance of inflammation, either on the whole

